Printing date 09/11/2023

Reviewed on 09/11/2023

rinting date 09/11/2023		<i>Reviewed on 09/11/2023</i>
1 Identification		
· Product identifier		
Trade name: <u>Ruster Buster</u>	<u>r</u>	-
· Article number: 200200 D	Κ	
Details of the supplier of the Manufacturer/Supplier: DIRT KILLER PRESSURE 823 HAMMONDS FERRY LINTHICUM HEIGHTS, M	WASHERS, INC. ROAD	
• Information department: F • Emergency telephone num	Product Safety Department 1ber: ChemTel Inc. (800) 255-3924	Intl. +01 (813) 248-0585
2 Hazard(s) identificatio	2 10	
· Classification of the substa	ance or mixture	
GHS06 Skull and	d crossbones	
Acute Toxicity - Oral 3	H301 Toxic if swallowed.	
Acute Toxicity - Dermal 2	H310 Fatal in contact with skin.	
GHS05 Corrosio	on	
Skin Corrosion 1A	H314 Causes severe skin burns	
	r to neutralize the fluoride ion. Fa	ge. oxic and corrosive. Exposures require very specific ilure to properly treat a HF exposure can result in
· Label elements		ording to the Globally Harmonized System (GHS).
GHS05 GHS06		
· Signal word Danger		
 Hazard-determining comp hydrofluoric acid phosphoric acid 75% Hazard statements Toxic if swallowed or if inh 		
Fatal in contact with skin. Causes severe skin burns at		

Printing date 09/11/2023

Reviewed on 09/11/2023

Trade name: Ruster Buster

	(Contd. of page 1)
· Precautionary state	ements
P301+P310	If swallowed: Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification syste	m:
· NFPÅ ratings (sca	
Health = 4	
Fire = 0	
Reactivity = 0	
· HMIS-ratings (sca	le 0 - 4)
Health $= 3$,
Fire = 0	
Reactivity = 0	
• Other hazards	
· Results of PBT and	l vPvB assessment
· PBT: Not applicable	
· vPvB: Not applicat	
**	

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:	
7664-39-3	hydrofluoric acid	>2.5-≤10%
7664-38-2	phosphoric acid 75%	>2.5-≤10%
66455-15-0	C10-12 6 Mole Linear Alcohol Ethoxylate	≤2.5%

4 First-aid measures

• Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Delayed reactions up to and including fatal pulmonary edema to inhaled concentrations of HF may not be apparent for hours following initial exposure.

Use a respiration bag or breathing device.

Do not use mouth to mouth or mouth to nose resuscitation.

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact:

Treat affected skin with cotton wool or cellulose. Then wash and rinse thoroughly with water and a mild cleaning agent.

(Contd. on page 3)

Printing date 09/11/2023

Reviewed on 09/11/2023

Trade name: Ruster Buster

(Contd. of page 2)
Rub in Ca-gluconate solution or Ca-gluconate gel immediately.
Immediately wash with water and soap and rinse thoroughly.
· After eye contact:
Irrigate open eyelids with 500-1000cc's of a 1% calcium gluconate in saline solution.
Call a doctor immediately.
Protect unharmed eye.
Rinse opened eye for several minutes under running water. Then consult a doctor.
· After swallowing:
Seek immediate medical attentiion with emphasis on hydrofluoric acid exposure.
A person vomiting while lying on their back should be turned onto their side.
Do not induce vomiting; immediately call for medical help.
Drink copious amounts of water and provide fresh air. Immediately call a doctor.
· Information for doctor:
· Most important symptoms and effects, both acute and delayed
Latent skin burns with delayed onset (up to 8 hours) can occur at lower concentrations (below 2%) exposure to
this product. Skin burns start with an itching sensation and proceed to necrosis of effected tissue.
Corrosive and extremely irritating to all tissues.
Gastric or intestinal disorders
Breathing difficulty
· Danger
Danger of hyperglycemia.
Danger of gastric perforation.
Danger of pulmonary edema.
· Indication of any immediate medical attention and special treatment needed
If blue colouring appears (lips, ear-lobes, finger-nails), give oxygen treatment as quickly as possible.
Later observation for pneumonia and pulmonary edema.
Medical supervision for at least 48 hours.
5 Fire-fighting measures
Entinemishing modia
• Extinguishing media Suitable ortinguishing agents:
· Suitable extinguishing agents:
Limestone powder
Use fire fighting measures that suit the environment.

• Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire. Hydrogen fluoride (HF) During heating or in case of fire poisonous gases are produced.

· Advice for firefighters

Product is not flammable however due to the possible evolution of toxic gases especially HF fight surrounding fires wearing full SCBA and turnout gear from the uopwind side of the fire. Avoid breathing fumes, vapors and gases from this product during fire situations.

• Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

US

Printing date 09/11/2023

Reviewed on 09/11/2023

Trade name: Ruster Buster

(Contd. of page 3)

- Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up:
- Neutralize spills with lime or limestone powder. Ventilate effected area.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

- Precautions for safe handling
- Avoid splashes or spray in enclosed areas.
- When diluting, always stir the product into standing water, not water to product.
- Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

- Open and handle receptacle with care.
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Unsuitable material for receptacle: glass or ceramic. Unsuitable material for receptacle: steel. Use receptacles with fluoroplastic lining.
- *Information about storage in one common storage facility:* Store away from metals. Store away from foodstuffs.
- Further information about storage conditions: Store under lock and key and out of the reach of children. Protect from contamination. Store receptacle in a well ventilated area. Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

(Contd. on page 5)

US –

Printing date 09/11/2023

Reviewed on 09/11/2023

Trade name: Ruster Buster

7664-39-3 hydrofluoric acid PEL Long-term value: 1* mg/m³, 3 ppm as F, *sulfuric acid REL Long-term value: 2.5 mg/m³, 3 ppm Ceiling limit value: 5* mg/m³, 6* ppm *15-min, as F TLV Long-term value: 0.5 ppm Ceiling limit value: 2 ppm as F; Skin; BEI 7664-38-2 phosphoric acid 75% PEL Long-term value: 1 mg/m³ REL Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ TLV Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ TLV Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ TLV Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ TLV Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ TLV Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ TLV Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ TLV Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ TLV Short-term value: 1 mg/m³ ID mg/creatinine Medium: urine		(Contd. of page 4)
PEL Long-term value: 1* mg/m³, 3 ppm as F, *sulfuric acid REL Long-term value: 2.5 mg/m³, 3 ppm Ceiling limit value: 5* mg/m³, 6* ppm *15-min, as F TLV Long-term value: 0.5 ppm Ceiling limit value: 2 ppm as F; Skin; BEI 7664-38-2 phosphoric acid 75% PEL Long-term value: 1 mg/m³ Long-term value: 1 mg/m³ Long-term value: 1 mg/m³ TLV Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ TLV Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ * Ingredients with biological limit values: 7664-39-3 hydrofluoric acid BEI 3 mg/g creatinine Medium: wrine Time: prior to shift Parameter: Flourides (background) 10 mg/g creatinine Ioackground)	7664	
REL Long-term value: 2.5 mg/m³, 3 ppm Ceiling limit value: 5* mg/m³, 6* ppm *15-min, as F TLV Long-term value: 0.5 ppm Ceiling limit value: 2 ppm as F; Skin; BEI 7664-38-2 phosphoric acid 75% PEL Long-term value: 1 mg/m³ REL Short-term value: 3 mg/m³ Long-term value: 3 mg/m³ Long-term value: 1 mg/m³ TLV Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ FL Short-term value: 3 mg/m³ Long-term value: 3 mg/m³ BeI 3 mg/g creatinine Medium: urine Time: prior to shift Parameter: Flourides (background) 10 mg/g creatinine Ing/g creatinine Image: Description: Description:		Long-term value: 1* mg/m³, 3 ppm
Ceiling limit value: 2 ppm as F; Skin; BEI 7664-38-2 phosphoric acid 75% PEL Long-term value: 1 mg/m³ REL Short-term value: 3 mg/m³ Long-term value: 3 mg/m³ Long-term value: 3 mg/m³ V Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ TLV Short-term value: 3 mg/m³ Vog-term value: 1 mg/m³ V Short-term value: 3 mg/m³ V Short-term value: 1 mg/m³ Flow Short-term value: 1 mg/m³ V Short-term value: 1 mg/m³ El 3 mg/g creatinine Medium: urine Time: prior to shift Parameter: Flourides (background) 10 mg/g creatinine	REL	Long-term value: 2.5 mg/m ³ , 3 ppm Ceiling limit value: 5* mg/m ³ , 6* ppm
PEL Long-term value: 1 mg/m³ REL Short-term value: 3 mg/m³ Long-term value: 3 mg/m³ TLV Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ • Ingredients with biological limit values: 7664-39-3 hydrofluoric acid BEI 3 mg/g creatinine Medium: urine Time: prior to shift Parameter: Flourides (background) 10 mg/g creatinine	TLV	Ceiling limit value: 2 ppm
REL Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ TLV Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ • Ingredients with biological limit values: 7664-39-3 hydrofluoric acid BEI 3 mg/g creatinine Medium: urine Time: prior to shift Parameter: Flourides (background) 10 mg/g creatinine	7664	4-38-2 phosphoric acid 75%
Long-term value: 1 mg/m³ TLV Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ • Ingredients with biological limit values: 7664-39-3 hydrofluoric acid BEI 3 mg/g creatinine Medium: urine Time: prior to shift Parameter: Flourides (background) 10 mg/g creatinine	PEL	Long-term value: 1 mg/m ³
Long-term value: 1 mg/m³ • Ingredients with biological limit values: 7664-39-3 hydrofluoric acid BEI 3 mg/g creatinine Medium: urine Time: prior to shift Parameter: Flourides (background) 10 mg/g creatinine	REL	
7664-39-3 hydrofluoric acid BEI 3 mg/g creatinine Medium: urine Time: prior to shift Parameter: Flourides (background) 10 mg/g creatinine	TLV	
7664-39-3 hydrofluoric acid BEI 3 mg/g creatinine Medium: urine Time: prior to shift Parameter: Flourides (background) 10 mg/g creatinine	· Ingr	redients with biological limit values:
Medium: urine Time: prior to shift Parameter: Flourides (background) 10 mg/g creatinine		-
	BEI	Medium: urine Time: prior to shift
Time: end of shift Parameter: Flourides (background)		Medium: urine Time: end of shift Parameter: Flourides (background)
 Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use 	· Exp · Pers · Gen Keep Imm Was Stor Avoi Avoi · Brea In co	posure controls sonal protective equipment: meral protective and hygienic measures: p away from foodstuffs, beverages and feed. mediately remove all soiled and contaminated clothing. The hands before breaks and at the end of work. The protective clothing separately. The contact with the eyes. The contact with the eyes and skin. The athing equipment: ase of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use
 respiratory protective device that is independent of circulating air. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation 	- Prot	tection of hands: Protective gloves glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the mical mixture.

(Contd. on page 6) US

Printing date 09/11/2023

Reviewed on 09/11/2023

Trade name: Ruster Buster

(Contd. of page 5)

· Material of gloves

Fluorocarbon rubber (Viton)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- For the permanent contact gloves made of the following materials are suitable: Fluorocarbon rubber (Viton) • Not suitable are gloves made of the following materials:
- Plastic gloves Butyl rubber, BR PVA gloves PVC gloves Nitrile rubber, NBR • **Eye protection:**

Face protection



Tightly sealed goggles

• Body protection: Boots Acid resistant protectiv

Acid resistant protective clothing Full head, face and neck protection Apron

9 Physical and chemical properties

General Information		
Appearance: Form:	Liquid	
Color:	Pink	
Odor:	Acrid	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	<1	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. <100 °C (<212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits: Lower:	Not determined.	

Printing date 09/11/2023

Reviewed on 09/11/2023

Trade name: Ruster Buster

	(Contd. of pa
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	40 hPa (30 mm Hg)
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	e r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Water:	84.0 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability Stable

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions
 Attacks materials containing glass and silicate.
 Reacts with strong oxidizing agents.
 Reacts with alkali (lyes).
 Reacts with metals forming hydrogen.
 Develops toxic gases / fumes.
 Reacts with light alloys to form hydrogen.
 Reacts with various metals.
 Conditions to avoid No further relevant information available.
 Incompatible materials: Strong alkalies, Strong oxidizers, Most metals, Cyanides, Sulfides, Glass and Ceramics.
 Hazardous decomposition products:
 Fluorophosgene on contact with naked flame or red hot objects.

Hydrocarbons Carbon monoxide and carbon dioxide

Hydrogen fluoride

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- \cdot on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

(Contd. on page 8)

US

Printing date 09/11/2023

Reviewed on 09/11/2023

Trade name: Ruster Buster

(Contd. of page 7)

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

no ingredient above de minimis level is listed

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- *Persistence and degradability No further relevant information available.*
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Dilute concentrate with water and neutralize afterwards with suitable alkali material (sodium hydroxide solution, lime). The formed neutral salts are relatively environment-friendly. Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

(Contd. on page 9)

(Contd. of page 8)

Safety Data Sheet acc. to OSHA HCS

• Recommended cleansing agent: Water, if necessary with cleansing agents.

Printing date 09/11/2023

Reviewed on 09/11/2023

Trade name: Ruster Buster

UN-Number	
DOT, IMDG, IATA	UN2922
UN proper shipping name	
DOT	Corrosive liquids, toxic, n.o.s. (Hydrofluoric acid)
IMDG, IATA	CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROFLUORIC ACIL
Transport hazard class(es)	
DOT	
CORROSIVE 8 6	
Class	8 Corrosive substances
Label	8, 6.1
IMDG	
Class	8 Corrosive substances
Label	8/6.1
IATA	
Class	8 Corrosive substances
Label	8 (6.1)
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	
Hazard identification number (Kemler code)	
EMS Number:	F-A,S-B
Segregation groups	(SGG1a) Strong acids
Stowage Category Stowage Code	B SW2 Clear of living quarters.
0	Sin 2 Cieur of tiving quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

US

Safety Data Sheet acc. to OSHA HCS

Printing date 09/11/2023

Reviewed on 09/11/2023

Trade name: Ruster Buster

	(Contd. of page 9
· Transport/Additional information:	
·DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
· IMDG	
· Limited quantities (LQ)	1L
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S (HYDROFLUORIC ACID), 8 (6.1), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
7664-38-2 phosphoric acid 75%	
TSCA (Toxic Substances Control Act):	
7732-18-5 water, distilled, conductivity or of similar purity	ACTIVI
7664-38-2 phosphoric acid 75%	ACTIV
66455-15-0 C10-12 6 Mole Linear Alcohol Ethoxylate	ACTIVI
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the substances are listed	
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
• Chemicals known to cause reproductive toxicity for males.	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
None of the ingredients is listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
	(Contd. on page 1

Printing date 09/11/2023

Reviewed on 09/11/2023

Trade name: Ruster Buster

· GHS label elemen · Hazard pictogram	(Contd. of page 10) ts The product is classified and labeled according to the Globally Harmonized System (GHS). s
GHS05 GHS06	$\overline{\mathbf{b}}$
· Signal word Dang	er
· Hazard-determini	ng components of labeling:
hydrofluoric acid	
phosphoric acid 75	5%
· Hazard statements	
Toxic if swallowed	or if inhaled.
Fatal in contact wi	ith skin.
Causes severe skin	burns and eye damage.
· Precautionary stat	
P301+P310	If swallowed: Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Chemical safety as	ssessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact: Product Safety Department · Date of preparation / last revision 09/11/2023 01/15/2014 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Acute Toxicity - Oral 3: Acute toxicity - Category 3 Acute Toxicity - Dermal 2: Acute toxicity - Category 2

(Contd. on page 12)

US

Printing date 09/11/2023

Reviewed on 09/11/2023

Trade name: Ruster Buster

Skin Corrosion 1A: Skin corrosion/irritation – Category 1A Eye Damage 1: Serious eye damage/eye irritation – Category 1 (Contd. of page 11)

US