Printing date 12/08/2020

Reviewed on 12/08/2020

1 Identification

- · Product identifier
- Trade name: <u>KRACKEN WASH</u>
- Article number: 200715 DK
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: DIRT KILLER PRESSURE WASHERS, INC. 823 HAMMONDS FERRY ROAD LINTHICUM HEIGHTS, MD 21090
- Information department: Product Safety Department
 Emergency telephone number: ChemTel Inc. (800) 255-3924 Intl. +01 (813) 248-0585

2 Hazard(s) identification

· Classification of the substance or mixture

Reactivity = 0

GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

Hazard-dete	ermining components of labeling:
sodium hydr	roxide
disodium me	etasilicate
tetrasodium	ethylenediaminetetraacetate
Hazard stat	•
Causes seve	re skin burns and eye damage.
	ary statements
	+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P305+P351	+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Classificatio	on system:
NFPA ratin	ogs (scale 0 - 4)

(Contd. on page 2)

Printing date 12/08/2020

Reviewed on 12/08/2020

Trade name: KRACKEN WASH

(Contd. of page 1)

>10-≤25% ≤2.5% ≤2.5%

· HMIS-ratings (scale 0 - 4)



• Other hazards

· Results of PBT and vPvB assessment

- *PBT:* Not applicable.
- vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			

1310-/3-2	soaium nyaroxiae
64-02-8	tetrasodium ethylenediaminetetraacetate
6834-92-0	disodium metasilicate

4 First-aid measures

· Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- *After inhalation:* In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- *Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.*
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Wear protective equipment. Keep unprotected persons away. • Environmental precautions: Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

US

Printing date 12/08/2020

Reviewed on 12/08/2020

Trade name: KRACKEN WASH

Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. • **Reference to other sections** See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

• Handling:

• *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

• Information about storage in one common storage facility: Not required.

- Further information about storage conditions: Keep receptacle tightly sealed.
- *Specific end use(s)* No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

1310-73-2 sodium hydroxide

PEL Long-term value: 2 mg/m³

REL Ceiling limit value: 2 mg/m³

TLV Ceiling limit value: 2 mg/m³

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 4)

(Contd. of page 2)

Printing date 12/08/2020

Reviewed on 12/08/2020

Trade name: KRACKEN WASH

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.





Tightly sealed goggles

Information on basic physical and c	hemical properties	
General Information Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Lemon	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	13	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.176 g/cm³ (9.81372 lbs/gal)	
Relative density	Not determined.	

(Contd. of page 3)

Printing date 12/08/2020

Reviewed on 12/08/2020

Trade name: KRACKEN WASH

		(Contd. of page 4
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.1 %	
Water:	79.1 %	
VOC content:	0.06 %	
	0.7 g/l / 0.01 lb/gal	
Solids content:	22.8 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

1310-73-2 sodium hydroxide

Oral LD50 2,000 mg/kg (rat)

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 6)

US

Printing date 12/08/2020

Reviewed on 12/08/2020

Trade name: KRACKEN WASH

(Contd. of page 5)

3

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

111-76-2 2-butoxyethanol

· NTP (National Toxicology Program)

no ingredient above de minimis level is listed

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	UN1719
\cdot UN proper shipping name	
$\cdot DOT$	Caustic alkali liquids, n.o.s. (Sodium hydroxide)
· IMDG, IATA	CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE)

Printing date 12/08/2020

Reviewed on 12/08/2020

Trade name: KRACKEN WASH

	(Contd. of page
Transport hazard class(es)	
DOT	
ORROSIVE	
Class	8 Corrosive substances
Label	8
IMDG, IATA	
UT THE	
Class	8 Corrosive substances
Label	8
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code, EMS Number: Segregation groups Stowage Category Segregation Code): 80 F-A,S-B Alkalis A SG22 Stow "away from" ammonium salts SG35 Stow "separated from" SGG1-acids
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
IMDG	
Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUI HYDROXIDE), 8, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 8)

⁻US-

Printing date 12/08/2020

Reviewed on 12/08/2020

Trade name: KRACKEN WASH

313 (Specific toxic chemical listings): 2 2-butoxyethanol Toxic Substances Control Act): ponents have the value ACTIVE. Journal of the ingredients is listed. fithe ingredients is listed.	
Toxic Substances Control Act): ponents have the value ACTIVE. fous Air Pollutants f the ingredients is listed. ition 65	
ponents have the value ACTIVE. Jous Air Pollutants ^f the ingredients is listed. ition 65	
fous Air Pollutants f the ingredients is listed. ition 65	
f the ingredients is listed. ition 65	
ition 65	
eals known to cause cancer:	
f the substances are listed	
eals known to cause reproductive toxicity for females:	
f the ingredients is listed.	
als known to cause reproductive toxicity for males.	
f the ingredients is listed.	
als known to cause developmental toxicity:	
f the ingredients is listed.	
ogenic categories	
Environmental Protection Agency)	
2 2-butoxyethanol	Ν
hreshold Limit Value established by ACGIH)	
2 2-butoxyethanol	1
-Ca (National Institute for Occupational Safety and Health)	I
f the ingredients is listed.	
bel elements The product is classified and labeled according to the Globally Harr	monized System (GHS)

· Signal word Danger

GHS05

• Hazard-determining components of labeling: sodium hydroxide disodium metasilicate tetrasodium ethylenediaminetetraacetate

· Hazard statements

Causes severe skin burns and eye damage.

• **Precautionary statements**

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- *P310 Immediately call a poison center/doctor.*
- P321 Specific treatment (see on this label).
- P405 Store locked up.
- *P501* Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 9)

Printing date 12/08/2020

Reviewed on 12/08/2020

Trade name: KRACKEN WASH

(Contd. of page 8)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Environment protection department.
- Date of preparation / last revision 12/08/2020 / Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent DD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1